

LEGHE PER ZINCATURA

[a] COMPOSIZIONE CHIMICA:

Composizione chimica:									
	Al	Sb	Cu	Mg	Pb	Fe	Cd	Sn	Zn
ZnAl5	4.5 5.5	-	0.030 max	0.020 max	0.010 max	0.020 max	0.003 max	0.001 max	resto
ZnAl10	9.5 10.5	-	0.030 max	0.020 max	0.010 max	0.020 max	0.003 max	0.001 max	resto
ZnSb5	0.005 max	4.5 5.5	0.005 max	0.005 max	0.020 max	0.050 max	0.003 max	0.005 max	resto
ZnSb10	0.005 max	9.5 10.5	0.005 max	0.005 max	0.020 max	0.050 max	0.003 max	0.005 max	resto

[b] CARATTERISTICHE DI FORNITURA:

- Lingotto: 5.5 kg / 580x70x40 mm
- Pacco: 500 kg / 580x580x580 mm (su bancale)

